

International Journal of MediPharm Research

ISSN:2395-423X

www.medipharmsai.com Vol.02, No.02, pp 87-90, 2016

MediPharm

The antimicrobial effect of ginger extract and metronidazole in *Entamoeba gingivalis* which isolated from patients with periodontal disease

Raflaa S.H. Hussian

University of Babylon, College of science, Department of Biology, Hilla, Iraq

Abstract : *Entamoeba gingivalis* is parasite found in mouth, causes dental disease. This parasite discovered in dental plaque, the last studies found relation between *E. gingivalis* and periodontal disease. In present study collected 30 samples collected from patient with age (20-30) years, result show infection with this parasite 46.6%. These samples are cultured in TYSGM-9 media, and then treated with alcoholic extract ginger and metronidazole which show inhibited growth of parasite at 100 μ g/ml. **Keywords:** *Entamoeba gingivalis*, ginger, metronidazole.

Introduction:

Periodontitis have different forms of the generality oral disease. About 5% to 20% of people are affected by intense periodontitis. (1) Infections of Parasite, with life cycle and have not an intermediate host to infect the host instead that parasites transmitted through contamination of food and drinks. Infections happened from have infective eggs or cyst is closely linked with degree of personal hygiene. (2)

In 1998, Study was conducted show that *Entamoeba gingivalis* was only protozoan found in saliva and plaque. (3) Metronidazole is antibiotic that affected on different protozoans like *Entamoeba histolytica* and most Gram-negative and Gram-positive anaerobic bacteria. (4) *E. gingivalis* is oversensitive to Metronidazole. (5)

Ginger is the rhizomes of the Zingiber officinale Roscoe; it's used as spice and medicine for some cases like diarrhea, headaches, cold, stomach disorder, nausea and others cases. (6, 7, 8) it also has strong anxiolytic and activities against emetic. (9) This herbal is safety for many people especially pregnant women. Clinical tests prove ginger have effect against chemotherapy like vomiting and nausea. (10)

Material and Method:

A/ sample collection:

30 samples collected by using sterile cotton swap from patients with periodontitis to detect *Entamoeba* gingivalis.

B/ Isolation procedures

a / examine under microscope:

Used wet mount and normal saline to detect parasite and examined directly under microscope. (11).

b/ used culture:

Used TYSGM-9 (Trypticase-Yeast Extract-Serum-Gastric Mucin) medium to incubate parasite at 37°C for 48-72 hours (12)

C/ Prepared extract of ginger and metronidazole:

Ginger powder gets from market (50gm). Mix powder with 100ml ethanol (99.9%) in an electric blender for 30 min. This suspension was filtered. Then methanol was removed in a rotary evaporator to produce a dry powder. To obtain concentrations $12.5\mu g/ml$, $25\mu g/ml$, $50\mu g/ml$ and $100\mu g/ml$, powder was dissolved in ethanol (13).

D/Prepare dilution of Metronidazole

Bought dissolved Metronidazole 500mg/ml from pharmacy, which prepare from it concentrations 12.5μ g/ml, 25μ g/ml, 50μ g/ml and 100μ g/ml.

Result:

30 samples were collected from patients aged 20 to 30 years, found 46.6% was positive with *Entamoeba gingivalis* Table (1). All samples were positive when cultured in TYSGM-9 Table (2).

Table (1): infection with Entamoeba gingivalis

No. of sample	Positive (%)	Age
30	14(46.6)	20-30years

Table (2) : infection with Entamoeba gingivalis in culture.

No. of sample	Culture	Positive
30	14	14

In present study was investigated *in vitro* effect of Ethanol Extract of *ginger (Zingiber officinale)* on the growth and motility of *Entamoeba gingivalis* compared to the standard drug metronidazole. Growth of parasite show in diagram 1 and 2.




Diagram 1: the effect of alcoholic extract of ginger on Entamoeba gingivalis




Diagram 2: the effect of metronidazole on Entamoeba gingivalis

Discussion:

In present study people whom have from continue inflammation in periodontal are more infection with parasite especially *Entamoeba gingivalis*. Table (1) show rate of infection with parasite among people with age 20-30years, which was 46.6%, this result was closely to another study in Babylon city rate of infection with *E. gingivalis* was 42.9 %(14).while 31.67% rate of infection with parasite in another study (11).in culture noted all of them are grow in 37C° for 48-72 hours (15). Cause of infection with *E. gingivalis* possibly to no oral hygiene (11) or this parasite is opportunists (16).

After cultured parasite and deal with extract of ginger, noted growth of parasite was inhibition in 100 μ g/ml (0.045) in compare with metronidazole 100 μ g/ml (0.087) (diagram 1). This result show the effect of ginger on growth of parasite like another research which proves the effect of ginger as inhibited for parasite and microorganisms (17). In other study, used ginger against *Haemonchus contortus* which killed all of these worms (18).

Metronidazole was killed *E. gingivalis* (diagram 2) and this result was similar to another result in other research which insures Metronidazole killed the parasite (19) while other study prove metronidazole treat amoebiasis(20).

Refrences:

- 1. Burt B (2005) Position paper: epidemiology of periodontal diseases. J Periodontol.,vol. 76,2005, pp(1406–1419).
- 2. Idowu OA and Rowl SA. The control of parasites depend on the factors which causes infection. Afr Health Sci., vol.6 No.3, 2006,pp(160–164).
- 3. Gemimaa, H. and Prasanna N., Remineralization of the Tooth Structure The Future of Dentistry International Journal of PharmTech Research Vol.6, No.2, 2014, pp (487-493).
- 4. Janani, J. and Estherlydia D. Antimicrobial Activities Of Punica granatum Extracts Against Oral Microorganisms International Journal of PharmTech Research Vol.5, No.3,2013, pp (973-977).
- 5. Azzouni MZ, el Badry AM. Frequency of Entamoeba gingivalis among periodontal patients under chemotherapy. Journal of the Egyptian Society of Parasitology, vol.24,1994,pp(649–55).
- 6. Baliga MS, Haniadka R, Pereira MM, D'Souza JJ, Pallaty PL, et al. ,Update on the chemopreventive effects of ginger and its phytochemicals. Crit Rev Food Sci Nutr vol.51,2011,pp(499-523).

- 7. Baliga MS, Haniadka R, Pereira MM, Thilakchand KR, Rao S, et al. Radioprotective effects of Zingiber officinale Roscoe (ginger): Past, present and future. Food Funct vol.3,2012,pp(714-723).
- 8. Haniadka R, Saldanha E, Sunita V, Palatty PL, Fayad R and Baliga MS. A review of the gastroprotective effects of ginger (Zingiber officinale Roscoe). Food Funct 2013vol.4,2013,pp (845-855.).
- 9. Hari Priya, M .and Santhosh K., Dental Extraction Post Operative wellness Survey International Journal of PharmTech Research Vol.8, No.4,2015, pp(666-669).
- 10. Westfall, R E. Use of anti-emetic herbs in pregnancy: women's choices, and the question of safety and efficacy. Complement Ther. Nurs. Midwifery. vol. 10, 2004, pp (30-36).
- 11. Onyido AE, Amadi ES, Olofin I, Onwumma AA, Okoh IC and Chikwendu CI. Prevalence of Entamoeba gingivalis and Trichomonas tenax among dental patients attending Federal School of Dental Technology and Therapy clinic, Enugu, Nigeria. Nature and Science, vol.9,2011,pp(59-62).
- 12. Diamond L S. A new liquid medium for xenic cultivation of *Entamoeba histolytica* and other lumendwelling protozoa. J. Parasitol, vol.681982, pp (958-959).
- 13. Naz S, Naz R, Siddiqi S, Ahmad S A, Rasool, and Sayeed S A. Antibacterial activity directed isolation of compounds from *Punica granatum*, *Journal of Food Science* 2007; vol.72, No. 9,2007,pp(341–345).
- 14. Al-hamiary AK, Kezar MY and Al-Khafaji YA. Prevalence of Oral Protozoa in Periodontitis and Gingivitis Patients Whose Attended to Clinics Periodontics, Dentistry College\Babylon Univ. Magazin of al-kufa university for bio., vol.1,No.3,2011.
- 15. Gannon JT and Linke H A. A new medium containing antibiotics for the xenic cultivation of *Entamoeba gingivalis*. Parasitology Research 1990; 76(8): 643-647.
- Talaro KP and Talaro A. (2002). Foudation in Microbiology. 4th Ed. McGraw Hill Companies Inc New York, PP. 697.
- Aly H F and Mantawy M M .Efficiency of ginger (*Zingbar officinale*) against *Schistosoma mansoni* infection during host-parasite association. Parasitology International 2013; vol.62,No.4,2013 (380–389).
- 18. Aiswarya ,T. and Ravikumar, R. A Comparitive Study on Phytochemical Analysis, Antibacterial Activity and Antioxidant Activity of Barleria prionitis leaves extract of Petroleum ether and Ethanol extract International Journal of ChemTech Research .,Vol.6, No.5, 2014, pp (3025-3033).
- **19**. Eloufir F, Khelaifia S, Aboudharam G and Drancourt M. In Vitro Activity of Metronidazole against Entamoeba Gingivalis. Journal of Infectious Diseases & Therapy vol.2:No. 170,2014.
- 20. Klasco RK, editor. USP DI Drug information for the healthcare professional. Volume I. Greenwood Village, CO: MICROMEDEX, Inc.; vol.6, 2006.
